

РУЛОННАЯ БУМАГА ОСЕ РЕБРЕНДИНГ

Canon Imaging Supplies

Canon

OCE ROLL MEDIA: ALL OCE BRANDED -> CANON PRODUCTION PRINTING

С 1 квартала 2020 года портфолио бумаг Осе меняет название на Canon

Все носители будут переименованы:

- ✓ Например: 7707B006 LFM116 **Осе** TopLabel Paper75 ECF 200x0,420 FSC -> 7707B006 LFM116 Top75 200x0,420 FSC

Новый дизайн упаковки:

- ✓ носители для струйной и лазерной инженерной печати – новые коробки;
- ✓ носители для УФ-печати – новые этикетки



Canon

БУМАГА ДЛЯ ИНЖЕНЕРНОЙ ПЕЧАТИ – НОВЫЙ ДИЗАЙН УПАКОВКИ И ЭТИКЕТКИ

Новое портфолио 2019/2020				
CAD			PPC	
Граммаж	Canon label	White label	Canon label	White label
75 gsm	IJM009 Draft75 PEFC	IJM016N CAD paper FSC	LFM054 Red Label PEFC LFM116 Top Label FSC	LFM025N PPC plus PEFC
80 gsm	IJM043 Recyl Zero FSC	IJM015N CAD80 (projects only)	LFM147 Recl Zero FSC	
90 gsm	IJM021 Standard FSC IJM022 Standard Plus FSC	IJM021N Standard Neutral FSC	LFM090 Top Color FSC LFM120 Top Label FSC	

КАЛЬКА, ПЛЕНКА И БУМАГИ С ПОКРЫТИЕМ – НОВЫЙ ДИЗАЙН УПАКОВКИ

Prod group	Product description	Remarks
IJM113	Premium Coated paper 90 gsm	
IJM119	Premium coated paper 100 gsm	
IJM123	Premium coated paper 130 gsm	
IJM140	Transparant paper 90	
LFM425	Colored paper	!Снимается с производства в 2020 году
LFM035	Fine Linen	
LFM091	Top Color 120 gsm	
LFM098	Top color 160 gsm	
IJM312	Double Matt Film	
LFM310	Polyester Film 88 um	
LFM450	Contrast Film 123um	
LFM232	Transparant paper 90gsm	

НОВЫЙ ДИЗАЙН УПАКОВКИ



- ✓ **Изменений товарного кода не будет**
- ✓ Замена старых коробок на новые займет 4-5 месяцев
- ✓ Первое появление коробок с новым дизайном на складе Canon Россия ожидается в Q12020

MEDIA GUIDE:

- ✓ Новый дизайн страницы
- ✓ Адрес mediaguide.oce.com заменен на mediaguide.cpp.canon.
- ✓ Новая ссылка с сайта Canon – Canon.ru/mediaguide

The screenshot shows the Canon Media Guide website. At the top left is the Canon logo, followed by the text "CANON PRODUCTION PRINTING". Below this is a navigation bar with links for "Home", "Search media", and "View assortment". The main content area features a large banner image of colorful paper rolls with the text "MEDIA GUIDE" overlaid. Below the banner is a breadcrumb trail: "Home > Search media". There are two search panels: one for "Wide format printers" and one for "Small format printers". Each panel contains a dropdown menu with "Canon" selected and a "Continue" button. At the bottom of the page, there is a footer with links for "Corporate website" and "Contact", and contact information for Canon Production Printing Netherlands B.V. (Urbanusweg 43, 5914 CA Venlo, The Netherlands). The footer also includes the email address supplies@canon-europe.com and the website canon-europe.com/supplies. Copyright information for 2019 Canon Production Printing and various legal links (Privacy, Terms of use, Contact Canon Production Printing, Traderegister 12002662) are also present.

РЕБРЕНДИНГ КАРТОЧЕК ПРОДУКТА

Coated papers

Coated

Satinated
White Office Papers
Creative
Specials

MAC119 Top Coated Graphic⁺ Silk - FSC® 90 g/m²

Product Description Top Coated Graphic⁺ Silk is a high quality vibrant coated paper suitable for graphic applications. The smooth surface provides a sharp text and colour images. The consistent paper quality delivers excellent runnability. Certified for Océ VariFont i-Series.

Physical Properties

Weight (g/m ²)	90	ISO 536	Whiteness	127	CIE
Thickness (µm)	81	ISO 534	Opacity (%)	91	Elrepho
Brightness (ISO)	120	ISO 534			

Tab Cards

Océ CrystalPoint[™] PE250 Tab Cards 160 g/m²

Copier/Printer
Inkjet
Duplex
Offset/Prepress

Product description Océ Tab Cards White mark the start of a new subject in reports or books. They are ideal for giving your documents a more professional look and at the same time enhancing the productivity of the document.

Physical Properties

Weight	160 g/m ²	ISO 536	Stiffness MD/CD	557/315 mN	ISO 5628
Calliper	190 µm	ISO 534	Porosity	349 ml/min	Bendtsen ISO 5636
Whiteness	160	CIE	Roughness WS/TS	165/147 ml/min	Bendtsen ISO 8791
Opacity	99 %	Elrepho	Acidity	7,5	pH

Applications/Features Separating documents in chapters

Films

Toner
CrystalPoint[™]
(eco) Solvent
UVgel
Latex

LFM342(L) Roll-up Film 175 µm

Product Description Opaque high-white matt polyester film with a water-fast, low reflecting surface and a metallised light block on the reverse side.

Physical Properties

Thickness	180 µm	ISO 534	Opacity	> 99 %	ISO 2471
Weight	240 g/m ²	ISO 534	Brightness 60°	5,0 ± 1,5 GE	ISO 2470
Whiteness (L*a*b)	97,1*-0,1*-0,1	ISO 11475			

All values listed are target values

Applications/features

Indoor Signage	Excellent image quality
Roll-up displays	Dimensionally stable
Pop-up displays	Excellent flatness
Banner stands	Anti-glare matt finish
	Excellent opacity
	Suited for Océ CrystalPoint [™] Technology

Available Widths (mm) 3" core 914 1270*

Refer for our current offering to www.canon-europe.com/mediaguide
* marked with L (for Large or Long), rolls weigh upto 30kg


Storage Conditions Shelf life: 1 year. Temperature 20-35°C, Relative Humidity 30-65%
Repack opened rolls when not in use.

Excellent image quality
Dimensionally stable
Excellent flatness
Anti-glare matt finish
Excellent opacity
Suited for Océ CrystalPoint[™] Technology



ПОРТФОЛИО НОСИТЕЛЕЙ ДЛЯ УФ-ПЕЧАТИ (COLORADO 1640/1650)

Пример нового дизайна этикетки



РЕБРЕНДИНГ – МАРКЕТИНГОВЫЕ МАТЕРИАЛЫ

Флаер с информацией о новом дизайне

- Доступен к распространению с февраля 2020
- Вкладка в коробки с аппаратами группы TDS\TX

Веб-баннер

- Доступен с февраля 2020 (нужна информация о ресайзах!)

Официальное письмо о смене имени бренда

- Сообщите о необходимости предоставления письма в конкурсы и проекты

Новые медиагайды ColorWave \ Plotwave \ Colorado

Появление ожидается в Q12020.

Canon



Your Wide Format media packaging has a brand-new look
and is ready to drive more print jobs than ever before!

Order now ▶

Let's roll!

Вопросы?

Екатерина Атрошкина, менеджер по продукту
Ekaterina.Atroshkina@canon.ru

Ирина Монакова, менеджер по работе с поставщиками
рулонной бумаги
Irina.Monakova@canon.ru

